

# High Speed Saw Blades



# Small Diameter Segmented Blades

General purpose concrete, brick, block, pavers.



## CUB CLASSIC

General purpose concrete, brick, block, pavers, walk behind up to 13h.p.

12" x .125 x 1	GCC1225-S
14" x .125 x 1	GCC1425-S
12" x .125 x 1	GCC1225-1
12" x .125 x 20mm	GCC1225-2
14" x .125 x 1	GCC1425-1
14" x .125 x 20mm	GCC1425-2

## CLASSIC

General purpose concrete, brick, block, pavers, hard brick, field stone products, walk behind up to 13h.p.

12" x .125 x 1	GS1225-1
12" x .125 x 20mm	GS1225-2
14" x .125 x 1	GS1425-1
14" x .125 x 20mm	GS1425-2
16" x .125 x 1	GS1601
16" x .125 x 20mm	GS1602

## PREMIUM

General purpose concrete, reinforced concrete, brick, block, pavers, hard brick, field stone products, walk behind up to 20h.p.

12" x .125 x 1	HS1225-1
12" x .125 x 20mm	HS1225-2
14" x .125 x 1	HS1425-1
14" x .125 x 20mm	HS1425-2

## CUB CLASSIC

4" x .070 x 7/8 - 5/8	GCC400
4-1/2" x .070 x 7/8 - 5/8	GCC450
5" x .070 x 7/8 - 5/8	GCC500
7" x .080 x DM - 7/8 - 5/8	GCC700
8" x .080 x DM - 7/8 - 5/8	GCC800
9" x .090 x DM - 7/8 - 5/8	GCC900
10" x .110 x DM - 7/8 - 5/8	GCC1000



## CLASSIC

4" x .080 x 7/8 - 5/8	GS400
4-1/2" x .080 x 7/8 - 5/8	GS450
5" x .080 x 7/8 - 5/8	GS500
6" x .080 x 7/8 - 5/8	GS600
7" x .080 x DM - 5/8	GS700
8" x .080 x DM - 5/8	GS800
9" x .090 x DM - 5/8	GS900
10" x .095 x DM - 5/8	GS1000

## PREMIUM


4" x .080 x 7/8 - 5/8	HS400
4-1/2" x .080 x 7/8 - 5/8	HS450
5" x .080 x 7/8 - 5/8	HS500
6" x .080 x 7/8 - 5/8	HS600
7" x .080 x DM - 5/8	HS700
8" x .080 x DM - 5/8	HS800
9" x .090 x DM - 5/8	HS900
10" x .095 x DM - 5/8	HS1000

# Turbo Blades Large Diameter Segmented



# Turbo Blades Small Diameter

General purpose concrete, brick, block, pavers.



## PREMIUM

General purpose concrete, pavers, roofing tile.

12" x .110 x 1	HCR1201P
12" x .110 x 20mm	HCR1202P
12" x .125 x 1	HCR1225P1
12" x .125 x 20mm	HCR1225P2
14" x .110 x 1	HCR1401P
14" x .110 x 20mm	HCR1402P
14" x .125 x 1	HCR1425P1
14" x .125 x 20mm	HCR1425P2

## CUB CLASSIC

4" x .070 X 7/8 - 5/8	GCRC400
4-1/2" x .080 x 7/8 - 5/8	GCRC450
5" x .080 x 7/8 - 5/8	GCRC500
7" x .090 x DM - 7/8 - 5/8	GCRC700
8" x .100 x DM - 7/8 - 5/8	GCRC800
9" x .100 x DM - 7/8 - 5/8	GCRC900
10" x .110 x DM - 7/8 - 5/8	GCRC1000

## CLASSIC

4" x .080 x 7/8 - 5/8	GCR400
4-1/2" x .080 x 7/8 - 5/8	GCR450
5" x .080 x 7/8 - 5/8	GCR500
6" x .090 x 7/8 - 5/8	GCR600
7" x .090 x DM - 5/8	GCR700
8" x .090 x DM - 5/8	GCR800
9" x .090 x DM - 5/8	GCR900
10" x .090 x DM - 5/8	GCR1000


## PREMIUM

4" x .080 x 7/8 - 5/8	HCR400
4-1/2" x .080 x 7/8 - 5/8	HCR450
5" x .080 x 7/8 - 5/8	HCR500
6" x .090 x 7/8 - 5/8	HCR600
7" x .090 x DM - 5/8	HCR700
8" x .090 x DM - 5/8	HCR800
9" x .090 x DM - 5/8	HCR900
10" x .090 x DM - 5/8	HCR1000

## CONTINUOUS RIM CLASSIC

General purpose concrete.


12" x .110 x 1	GCR1201
12" x .110 x 20mm	GCR1202
14" x .110 x 1	GCR1401
14" x .110 x 20mm	GCR1402



Applications:

- Asphalt
- Green Concrete
- Block
- Concrete
- Pavers
- Brick
- Clay Pavers
- Hard Bricks
- Refractory Brick
- Field Stone
- Marble
- Granite
- Reinforced Concrete

# Combo Blades



12" x .125 x 1	PCA 1225-1
14" x .125 x 1	PCA 1425-1
16" x .140 x 1	PCA 1640-1
18" x .140 x 1	PCA 1840-1
20" x .155 x 1	PCA 2055-1
(20mm arbor available on 12" and 14")	

# Rescue Blade

Designed for the professionals who require fast cutting in rescue and emergency conditions. Cuts wood, plastics, composites, steel, stainless steel, glass, ductile and cast iron. Manufactured with vacuum brazed single layer technology.



4" x .080 x 7/8 - 5/8	RES-4
4 1/2" x .080 x 7/8 - 5/8	RES-4.5
7" x .095 x DM - 7/8 - 5/8	RES-7
12" x .125 x 1" - 20mm	RES-12
14" x .125 x 1" - 20mm	RES-14
16" x .125 x 1" - 20mm	RES-16



12" x .125 x 1	GCA 1225-1
14" x .125 x 1	GCA 1425-1

# Masonry Blades



GRIZZLY BRICK/PAVER BLADES	
12" x .110 x 1 - 20mm	GDPH 2 - 2
14" x .125 x 1 - 20mm	GDPH 3 - 4
18" x .125 x 1 - 20mm	GDPH 3 - 5
20" x .125 x 1 - 20mm	GDPH 3 - 6

# Asphalt Green Concrete Blades

Long life dry asphalt/concrete blades are designed for quick and easy cutting of asphalt and concrete block.



CLASSIC	
12" x .125 x 1	GAH3-2-1
12" x .125 x 20mm	GAH3-2-2
14" x .125 x 1	GAH3-4-1
14" x .125 x 20mm	GAH3-4-2
PREMIUM	
12" x .125 x 1	GAP3-2-1
12" x .125 x 20mm	GAP3-2-2
14" x .125 x 1	GAP3-4-1
14" x .125 x 20mm	GAP3-4-2


Ductile iron blades are designed with abrasive laden sides for aggressive but smooth cutting of ductile iron pipe.



DUCTILE IRON BLADES	
12" x .110 x 1 - 20mm	DDI 2-2-1
14" x .110 x 1 - 20mm	DDI 2-4-1
16" x .125 x 1 - 20mm	DDI 3-5-1

# Tile Blades

Wet continuous rim tile blades are designed for cutting ceramic tiles, glazed tiles, slate, limestone, clay roofing terrazzo, graphite and marble.



BLADES MUST BE USED WITH WATER



WET TILE BLADES - Continuous Rim CLASSIC	
4" x .060 x 5/8	HWCT400S
6" x .060 x 5/8	HWCT600S
8" x .060 x 5/8	HWCT800S
10" x .060 x 5/8	HWCT1000S
12" x .080 x 1	HWCT1200S
14" x .080 x 1	HWCT1400S
PREMIUM	
4" x .060 x 5/8	HWCT400P
6" x .060 x 5/8	HWCT600P
8" x .060 x 5/8	HWCT800P
10" x .060 x 5/8	HWCT1000P
12" x .080 x 1	HWCT1200P
14" x .080 x 1	HWCT1400P


Dry continuous rim blades are designed for either dry or wet cutting of marble, granite, slate, and ceramic tile.



DRY TILE BLADES - Continuous Rim PREMIUM	
4" x .060 x 5/8	HDCT400P
6" x .060 x 5/8	HDCT600P
8" x .060 x 5/8	HDCT800P
10" x .060 x 5/8	HDCT1000P

# Silent Core Blades

Designed to cleanly and efficiently cut hard material such as granite and marble.  
Bridge saws only.



## GRANITE - ENGINEERED STONE

14" x .125 x 60-50mm	GES-1425
16" x .125 x 60-50mm	GES-1625
18" x .135 x 60-50mm	GES-1835
20mm segment	

## MARBLE

14" x .125 x 60-50mm	MS-1425
16" x .125 x 60-50mm	MS-1625
18" x .135 x 60-50mm	MS-1835
10mm segment	

## GRANITE

14" x .125 x 60-50mm	GS-1425DS 19964
16" x .125 x 60-50mm	GS-1625DS 19965

## ENGINEERED STONE

14" x .125 x 60-50mm	ES-1425DS 19966
16" x .125 x 60-50mm	ES-1625DS 19967


# Turbo Granite Blades



Application recommended for granite - engineered stone and hard materials.

4" x .087 x 7/8 - 5/8	HCR-400G
4-1/2" x .087 x 7/8 - 5/8	HCR-450G
5" x .087 x 7/8 - 5/8	HCR-500G
6" x .095 x 7/8 - 5/8	HCR-600G
7" x .095 x DM - 5/8	HCR-700G

# Electroplated Blades



Precise cuts in medium to soft materials.

## MARBLE

4" x 7/8 - 5/8	19433
4-1/2" x 7/8 - 5/8	19434
5" x 7/8 - 5/8	19435
7" x DM - 5/8	19739

For grinding and cutting applications.



# Contour Segmented

Application recommended for all natural stone.



4" x 7/8 - 5/8	CS-400
4-1/2" x 7/8 - 5/8	CS-450
5" x 7/8 - 5/8	CS-500

## MULTI-CUTTER

4-1/2" x 7/8	19707
5" x 7/8	19708
Adaptor for conversion to 5/8-11 thread 19709	

# Grinding Wheels for Marble - Granite

## INFUSION SERIES



Swirl design for cooling and dust discharge.

4" x 5/8-11		
Coarse	19799	
Medium	19849	
Fine	19850	
5" x 5/8-11	Coarse	1477
6" x 5/8-11	Coarse	1478

## PREMIUM SERIES



Swirl design for cooling and dust discharge.

4" x 5/8-11		
Coarse	19212	
Medium	19614	
Fine	19615	

## DOUBLE ROW



More aggressive than single. For marble granite and concrete.

4" x 5/8-11	Coarse	19339
4-1/2" x 5/8-11	Coarse	19340
5" x 5/8-11	Coarse	19912
5" x 5/8-11	Medium	19924
7" x 5/8-11	Coarse	19385
7" x 5/8-11	Medium	19925
7" x 5/8-11	Fine	19926

## CONTINUOUS RIM

Less chipping while chamfering.



4" x 5/8-11		
Coarse	19210	
Medium	19705	
Fine	19706	

4-1/2" x 5/8-11 Coarse 19211

## X-GRINDER WITH RESIN CUSHION

Resin fill reduces bouncing. No chips or cracks.



4" x 5/8-11		
Coarse	19208	
Medium	19910	
Fine	19911	

# Cup Grinders

Cup grinders are available in a variety of styles and grits to meet most any concrete form grinding job.



## SINGLE ROW CUP WHEELS CLASSIC

4" x 7/8 - 5/8	GSGS400
4" x 5/8 - 11Thd	GSGS400T
7" x 7/8 - 5/8	GSGS700
7" x 5/8 - 11Thd	GSGS700T

## DOUBLE ROW CUP WHEELS CLASSIC

4" x 7/8 - 5/8	GSGD400
4" x 5/8 - 11Thd	GSGD400T
7" x 7/8 - 5/8	GSGD700
7" x 5/8 - 11Thd	GSGD700T

**TURBO SEGMENTED AND FLAT FACE CUP WHEELS AVAILABLE UPON REQUEST**

# Tuck Point Blades

Our rugged tuck point blades provide a fast and easy way to clean out mortar joints.



## CUB CLASSIC

4" x .250 x 7/8 - 5/8 HTP425H8

4-1/2" x .250 x 7/8 - 5/8 HTP450H8

5" x .250 x 7/8 - 5/8 HTP525H8

## CLASSIC

4" x .250 X 7/8 - 5/8 HTP425H10

4-1/2" x .250 x 7/8 - 5/8 HTP450H10

5" x .250 x 7/8 - 5/8 HTP525H10

# Crack Chaser

## V SHAPED CRACK CHASER

### APPLICATIONS:

- Cuts down on resealing time
- Quickly rout and widen cracks in asphalt and concrete



4" x 5/8 - 11 Thd GCRK411

4" x 7/8 - 5/8 GCRK478

Hoffman Diamond Products Inc.  
121 Cedar Street • Punxsutawney, Pennsylvania 15767  
Phone: 814-938-7600 • Toll Free: 800-444-4180  
• Fax: 814-938-7625


E-mail: [sales@hoffmandiamond.com](mailto:sales@hoffmandiamond.com)

[www.hoffmandiamond.com](http://www.hoffmandiamond.com)

# Sandwich Tuck Point Blades

### Features:

- Double or Triple row tuck points for aggressive mortar removal
- Low cost reliable Tuck pointing
- Segment height 10mm



## DOUBLE ROW

4" x .250 x 7/8 - 5/8 HTP-425H10S

4 1/2" x .250 x 7/8 - 5/8 HTP-450H10S

5" x .250 x 7/8 - 5/8 HTP-525H10S

7" x .250 x 7/8 - 5/8 HTP-725H10S



## TRIPLE ROW

4" x .375 x 7/8 - 5/8 HTP-475H10T

4 1/2" x .375 x 7/8 - 5/8 HTP-457H10T

5" x .375 x 7/8 - 5/8 HTP-575H10T

7" x .375 x 7/8 - 5/8 HTP-775H10T

For sales & service contact your dealer: